



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
www.floods.com.au


PRICELIST No 44 Issue 6

EFFECTIVE 07/05/18

PROTECTION COVERS (PC)

POLE MOUNTED COVERS (PM)

HOT DIPPED GALVANISED AS PER AS/NZS4680-1999



DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
25 25 900	1.6mm HDG	1.4	PC-PM-25-900
		10	PC-PM-25-900 BOX
32 32 900	1.6mm HDG	1.7	PC-PM-32-900
		10	PC-PM-32-900 BOX
38 38 300	1.6mm Gal	0.35	PC-PM-38-300
		50	PC-PM-38-300 BOX
38 38 900	1.6mm HDG	2.0	PC-PM-38-900
		8	PC-PM-38-900 BOX
50 50 300	1.6mm Gal	0.458	PC-PM-50-300
		10	PC-PM-50-300 BOX
50 50 900	1.6mm HDG	2.3	PC-PM-50-900
		10	PC-PM-50-900 BOX
75 75 300	1.6mm Gal	0.687	PC-PM-75-300
		6	PC-PM-75-300 BOX
75 75 900	1.6mm HDG	3.5	PC-PM-75-900
		6	PC-PM-75-900 BOX
75 75 2700	1.6mm HDG	10.5	PC-PM-75-2700
75 150 900	1.6mm HDG	4.4	PC-PM-75150-900
		4	PC-PM-75150-900 BOX
100 100 900	1.6mm HDG	4.4	PC-PM-100-900
		3	PC-PM-100-900 BOX
150 150 900	1.6mm HDG	6.3	PC-PM-150-900
200 200 900	1.6mm HDG	7.8	PC-PM-200-900



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064



Email sales@floods.com.au
www.floods.com.au

PRICELIST No 44 Issue 6
EFFECTIVE 07/05/18

SURFACE MOUNTED COVER (SM)

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION				WEIGHT	BOX	PART #
H	x	W	x	L	Kgs ea	QTY
25	25	1200		1.6mm HDG	2.0	PC-SM-25-1200
						8 PC-SM-25-1200 BOX
32	32	1200			2.2	PC-SM-32-1200
						8 PC-SM-32-1200 BOX
38	38	1200			2.5	PC-SM-38-1200
						8 PC-SM-38-1200 BOX
50	50	1200			3.2	PC-SM-50-1200
						6 PC-SM-50-1200 BOX
50	100	1200			4.2	PC-SM-50100-1200
						4 PC-SM-50100-1200 BOX
75	75	1200			4.2	PC-SM-75-1200
						5 PC-SM-75-1200 BOX
75	75	3000			10.7	PC-SM-75-3000
100	100	1200			5.9	PC-SM-100-1200
						3 PC-SM-100-1200 BOX
100	150	1200			7.5	PC-SM-100150-1200
150	150	1200			8.3	PC-SM-150-1200
						2 PC-SM-150-1200 BOX
200	200	1200			10.6	PC-SM-200-1200



12x22 x1200	1.0 GAL SHT	0.5	PC-CS-1222-1200
		10	PC-CS-1222-1200 Bundle



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 44 Issue 6


EFFECTIVE 07/05/18

HOUSE RAISER BRACKETS

ALL SCREWS AND BOLTS FOR FUSE BOX AND MOUNTING SUPPLIED WITH BRACKET THROUGH TILE- RAFTER MOUNT (TT) HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999



BR-TT-1-450



BR-TT-1-1500



BR-TT-3-450



BR-TT-3-1500

DESCRIPTION H x W x L		WEIGHT Kgs ea	BOX QTY	PART #
450mm 1ph	rated at 1 kN	3.1		BR-TT-1-450
			4	BR-TT-1-450 BOX
450mm 1ph	rated at 2 kN	4.3		BR-TT-1-450-2KN
600mm 1ph	rated at 1kN	5.1		BR-TT-1-600
600mm 1ph	rated at 2 kN	6.6		BR-TT-1-600-2KN
900mm 1ph	rated at 2 kN	9.2		BR-TT-1-900
1200mm 1ph	rated at 1kN	11.5		BR-TT-1-1200
1500mm 1ph	rated at 1kN	13.3		BR-TT-1-1500
With ladder rest, support stay & 2 wire kits - Rafter clamp mounting				
450mm 3ph	rated at 2 kN	3.3		BR-TT-3-450
600mm 3ph	rated at 2 kN	7.4		BR-TT-3-600
900mm 3ph	rated at 2 kN	9.2		BR-TT-3-900
1200mm 3ph	rated at 2 kN	11.5		BR-TT-3-1200
Clamp Mounting				
1500mm 3ph	rated at 2 kN	15.6		BR-TT-3-1500
2000mm 3ph	rated at 2 kN	18.1		BR-TT-3-2000
With support stay & 2 wire kits - rafter clamp mounting bracket rated at 2kN				



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
www.floods.com.au


PRICELIST No 44 Issue 6

EFFECTIVE 07/05/18

HOUSE RAISER BRACKETS

FACIA MOUNT

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999



BR-FM-1-900

DESCRIPTION H x W x L		WEIGHT Kgs ea	BOX QTY	PART #
400mm 1ph	rated at 1kN			BR-FM-1-400
840mm 1ph	rated at 1kN	5.5		BR-FM-1-900
1150mm 1ph	rated at 1kN	6.5		BR-FM-1-1200



BR-FM-1-1500

1500mm 1ph	rated at 1kN	7.4		BR-FM-1-1500
2000mm 1ph	rated at 1kN	9.0		BR-FM-1-2000
ladder rest & support stay & 2 wire kits				



BR-FM-3-900

400mm 3ph	rated at 2kN	3.9		BR-FM-3-400
840mm 3ph	rated at 2kN	8.7		BR-FM-3-900
1200mm 3ph	rated at 2kN			BR-FM-3-1200
with 2 x stay wire kits & bolts				



BR-FM-3-1500

1500mm 3ph		13.8		BR-FM-3-1500
2000mm 3ph		15.5		BR-FM-3-2000
With ladder rest, Support stay & 2 Wire kits				



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.a
 www.floods.com.au

PRICELIST No 44 Issue 6

EFFECTIVE 07/05/18

HOUSE RAISER BRACKETS


WALL MOUNT

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999



BR-WM-1-600

600mm 1ph	rated 1kn	3.9	BR-WM-1-600
900mm 1ph	rated 1kn		BR-WM-1-900



BR-WM-1-1200

1200mm 1ph	rated 1kn	10.3	BR-WM-1-1200
1500mm 1ph	rated 1kn	12.2	BR-WM-1-1500
ladder rest & support stay			



BR-WM-3-600

600mm 3ph	rated 2kn	3.9	BR-WM-3-600
900mm 3ph	rated 2kn	10.3	BR-WM-3-900



BR-WM-3-1500

1200mm 3ph	rated 2kn	9.000	BR-WM-3-1200
1500mm 3ph	rated 2kn	15.4	BR-WM-3-1500
With ladder rest & support stay			



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 44 Issue 6


EFFECTIVE 07/05/18

HOUSE RAISER BRACKETS

ALL SCREWS AND BOLTS FOR FUSE BOX AND MOUNTING SUPPLIED WITH BRACKET

RAFTER MOUNT (RM)

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999



BR-RM-1-600


DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #	PRICEea ex GST
--------------------------	------------------	------------	--------	-------------------

Sloping Roof (tile or CGI)

600mm 1ph	rated at 1kn	5.5	BR-RM-1-600	
900mm 1ph	rated at 1kn	9.7	BR-RM-1-900	
1200mm 1ph	rated at 1kn	10.0	BR-RM-1-1200	

Deck Roof (Flat)

600mm 1ph DECK	rated at 1kn	6.5	BR-RMD-1-600	
900mm 1ph DECK	rated at 1kn	9.1	BR-RMD-1-900	
1200mm 1ph DECK	rated at 1kn	11.0	BR-RMD-1-1200	



BRSA-UE-1-900

SA BRACKETS

SA Under Eve Bracket #SA13/1 single phase Hot Dipped Galvanised with Mounting Bolts and Fuse/Connection Box Bolts	3.98	BRSA-UE-1-900
--	------	----------------------



BRSA-UE-3-900






SA Under Eve Bracket #SA13/3 three phase Hot Dipped Galvanised with Mounting Bolts and Fuse/Connection Box Bolts	5.0	BRSA-UE-3-900
---	-----	----------------------



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
www.floods.com.au

PRICELIST No 44 Issue 6
EFFECTIVE 07/05/18

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
 Plate size 40x100mm horizontal type mounting bracket with 2 coach screws	0.25	10	BR-HH-50 BR-HH-50 BOX
 Plate size 200x40mm vertical type mounting bracket with 2 coach screws	0.45	10	BR-HV-50 BR-HV-50 BOX
 65x310mm Side type mounting bracket with 4 coach screws	1.35	10	BR-HS-100 BR-HS-100 BOX
<u>EYE BRACKETS</u>			
 HORIZONTAL/VERTICAL LARGE EYE BRACKET 40mm x 100mm x 185mm standout with 2 COACH SCREWS Rated 2KN	0.45	10	BR-EB-185 BR-EB-185 BOX
 HORIZONTAL/VERTICAL SMALL EYE BRACKET 40mm x 100mm x 75mm standout with 2 COACH SCREWS Rated 1KN	0.195	10	BR-EB-75 BR-EB-75 BOX

BR-HH-50

BR-HV-50

BR-HS-100

BR-EB-185

BR-EB-75



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 44 Issue 6
EFFECTIVE 07/05/18

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
--------------------------	------------------	------------	--------

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999



BR-AB-1

Plate size 190x75mm Bent 45 deg single phase bracket with 2 coach screws & 2x3/16ww for fuse box Entry hole is 40mm dia	0.6	10	BR-AB-1 BR-AB-1 BOX
---	-----	----	--------------------------------------



BR-AB-3

Plate size 190x75mm Bent 45 deg single phase bracket with 2 coach screws & 2x3/16ww for fuse box Entry hole is 40mm dia	0.45	10	BR-AB-3 BR-AB-3 BOX
---	------	----	--------------------------------------

UNDER GROUND CABLE ENTRY COVER



UCE32/7

galvanised steel pipe 700mm long, bent 30 degrees with orange plastic conduit inside			
25mm " "		5	UCE25/7 UCE25/7 BUNDLE
32mm " "	2.4	5	UCE32/7 UCE32/7 BUNDLE
40mm " "	2.9	5	UCE40/7 UCE40/7 BUNDLE
50mm " "	3.854	5	UCE50/7 UCE50/7 BUNDLE







ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
www.floods.com.au

PRICELIST No 44 Issue 6
EFFECTIVE 07/05/18

POLE BRACKETS

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
 Pole Mount front single phase box 150mm standoff w 4 coach screws & 2x3/16ww screws & nuts for fuse box BR-PF-1-150	1.55	12	BR-PF-1-150 BR-PF-1-150 BOX
75 mm standoff			BR-PF-1-75
 BR-PS-3	2.35	10	BR-PS-3 BR-PS-3 BOX
 BR-PF-3-150 Plate size 230x160mm Three phase plate with 150mm front stand off bracket with 2 coach screws & 6x3/16ww screws & nuts for fuse box	1.55	4	BR-PF-3-150 BR-PF-3-150 BOX
 BR-PF-3-0 Plate size 230x160mm Three phase plate only	1.55		BR-PF-3-0



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 44 Issue 6
EFFECTIVE 07/05/18

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #	PRICEea ex GST
--------------------------	------------------	------------	--------	-------------------

ACCESSORIES

Stay wire kit
 3mm dia S/S wire ROPE,
 2 cable clamps & 1 eye screw



BR-WK-1000

1000mm long	0.20		BR-WK-1000	
		10	BR-WK-1000 BOX	
2000mm long	0.22		BR-WK-2000	
3000mm long	0.25		BR-WK-3000	

STREET LIGHT BRACKETS

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

34mm pipe x300mm lg surface
 mount bracket with 4 coach screws

1.2 **LB-FM-34-300**



LB-FM-34-300

48mm Pipe x 300lg 90deg

LB-S-FM-48x300

6 **LB-S-FM-48x300 BOX**



LB-PM-100

NB25x100mm long surface
 mount bracket with 2
 bolts

0.55 **LB-PM-100**
 5 **LB-PM-100 BOX**

NB25x300mm long Corner mount
 bracket with 4 coach screws
 M16x1.5 bottom entry
 or rear entry

1.2 **LB-CM-300**
 10 **LB-CM-300 BOX**



LB-CM-300









ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.a
 www.floods.com.au

PRICELIST No 44 Issue 6
EFFECTIVE 07/05/18

SPOTLIGHT BRACKETS

	DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
	SPOTLIGHT BRACKET-1000mm x 25mm tube Horizontal with	2.4	10	SL-PAR38-1000 SL-PAR38-1000 BOX
	round plate for Par38 spotlight and 5mm square plate mounting plate (for mounting on parrpit			SL-PAR38-2000
	wall) hot dipped GALVANISED SPOTLIGHT BRACKET-1000mm x 25mm tube Horizontal with			SL-HM-1000 SL-HM-2000
	flat plate for Hande Spotlight and 5mm square plate mounting plate (for mounting on parrpit wall) hot dipped GALVANISED Bends 90 or 95 degrees			
SWITCH POST (SP)				
	HOLE MOUNTED Switch Post-Hole Mounted-1ph-650mmhigh For use with double switch and outlet Clipsal WSC227/2	1.69	10	SP-HM-1-650 SP-HM-1-650 BOX
	HEM WPS2 Hot dipped galvanised 40x40x1000mm Post for power to an outside location Cable concealed inside post For use with 3 switch-outlets Clipsal WSC227/2 12 nut & bolts supplied	2.39		SP-HM-1-650-3



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.a
 www.floods.com.au

PRICELIST No 44 Issue 6
EFFECTIVE 07/05/18

SWITCH POST (SP)



SP-HM-3-650

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
Hot dipped galvanised 50x50x1000mm Post for power to an outside location			
Cable concealed inside post For use with switch and outlet Clipsal 56 series	2.34	5	SP-HM-3-650 SP-HM-3-650 BOX
4 nut & bolts supplied			



SP-SM-3-850

SWITCH POST - SURFACE MOUNTED (SP-SM)

Single Switch Clipsal WS226			SP-SM-1-850
HEM - EE-HM-WPS2			SP-SM-1-850-3
4 nut & bolts supplied			
Hot dipped galvanised for mounting on concrete			SP-SM-3-850 SP-SM-3-850-3



SP-SM-1-850



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.a
 www.floods.com.au

PRICELIST No 44 Issue 6

EFFECTIVE 07/05/18

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
--------------------------	------------------	------------	--------


AIR CONDITIONING SWITCH POST



SP-RM-1-700

Switch post rafter mounted
 single phase 700mm long w
 removable switch plate
 25mm tube HDG

SP-RM-1-700
 1.35 10 **SP-RM-1-700 BOX**




SP-RM-1-300ZA

Switch Panel - Roof Mounted - 1ph

SP-RM-1-300ZA

300 mm high X 300mm wide "A" frame
 ZINC ALUM for deck roof

10 **SP-RM-1-300ZA BOX**



Switch Plate - Foot Mount Air conditioning
 3mm plate Hot
 Dipped Galvanise with 4 screws and nuts
 for up to 10 different isolators
 Mount to concrete with 4 ankors
 Mount to under AC bolt

SP-AC1
 10 **SP-AC1 BOX**







ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 44 Issue 6

EFFECTIVE 07/05/18

	DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
	Temporary Supply Box (TSB) Temporary Supply Box - Unmetered. Box with top hinge door with 2 position stay, 24 pole, lip mounting neutral bar and earth bar with lockable door	18.2	1	TSB-DIN24
	Temporary Supply Box - EMPTY. Box with top hinge door with 2 position stay, Size 490 h x 300 w x 250 d mm	16.0	1	TSB-E
	FLOODS Meter box T Bracket (WITH DETACHABLE "T") suitable for meter boxes with all bolts for easy installation for 40NB or 50NB Pipe	3.3	6	MB-T3 Box Mb-T3
	Temporary Power Supply Pipe (TPS) 40 NB (Nominal Bore) 48.3 Outside Dia x 42mm Internal Diameter x 1300mm Long			TPS1.3X40

TSB-DIN24

MB-T3


TPS1.3X40



ABN 31 885 874 684
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064

Email sales@floods.com.a
 www.floods.com.au

PRICELIST No 44 Issue 6
EFFECTIVE 07/05/18



CRS-1000

CABLE REEL STAND (CRS)

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

Heavy duty cable reel holder, galvanised, for 1000mm pipe Rated at 200kg Rated at 200kg, 500mm pipe

- CRS-1000**
- 4 **CRS-1000 BOX**
- CRS-500**
- 4 **CRS-500 BOX**



TP-3000

Temporary Poles (TP)

Tempory Pole for leads extends to 3000mm

2.7 **TP-3000**



Base for TP1
 400x400x5mm
 400x400x10mm

6.7 **TP-B-6KG**

12.7 **TP-B-12KG**