

FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1


Effective Date 1/4/24

PROTECTION COVERS (PC)

POLE MOUNTED COVERS (PM)

HOT DIPPED GALVANISED AS PER AS/NZS4680-1999

DESCRIPTION				WEIGHT	BOX	PART #
H	x	W	x	L	Kgs ea	QTY
25	25	900		1.6mm HDG	1.4	PC-PM25-900
						10 PC-PM25-900 BOX
32	32	900		1.6mm HDG	1.7	PC-PM32-900
						10 PC-PM32-900 BOX
38	38	900		1.6mm HDG	2.0	PC-PM38-900
						8 PC-PM38-900 BOX
50	50	900		1.6mm HDG	2.3	PC-PM50-900
						10 PC-PM50-900 BOX
75	75	900		1.6mm HDG	3.5	PC-PM75-900
						6 PC-PM75-900 BOX
75	150	900		1.6mm HDG	4.4	PC-PM75150-900
						4 PC-PM75150-900 BOX
100	100	900		1.6mm HDG	4.4	PC-PM100-900
						3 PC-PM100-900 BOX
150	150	900		1.6mm HDG	6.3	PC-PM150-900
200	200	900		1.6mm HDG	7.8	PC-PM200-900



FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1


Effective Date 1/4/24

PROTECTION COVERS (PC)

SURFACE MOUNTED COVER (SM)

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION				WEIGHT	BOX	PART #
H	x	W	x	L	Kgs ea	
25	25	1200		1.6mm HDG	2.0	PC-SM25-1200
						8 PC-SM25-1200 BOX
32	32	1200			2.2	PC-SM32-1200
						8 PC-SM32-1200 BOX
38	38	1200			2.5	PC-SM38-1200
						8 PC-SM38-1200 BOX
50	50	1200			3.2	PC-SM50-1200
						6 PC-SM50-1200 BOX
50	100	1200			4.2	PC-SM50100-1200
						4 PC-SM50100-1200 BOX
75	75	1200			4.2	PC-SM75-1200
						5 PC-SM75-1200 BOX
75	75	3000			10.7	PC-SM75-3000
100	100	1200			5.9	PC-SM100-1200
						3 PC-SM100-1200 BOX
100	150	1200			7.5	PC-SM100150-1200
150	150	1200			8.3	PC-SM150-1200
						2 PC-SM150-1200 BOX
200	200	1200			10.6	PC-SM200-1200



FLOODS ELEC



ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24

HOUSE RAISER BRACKETS

**ALL SCREWS AND BOLTS FOR FUSE BOX AND MOUNTING SUPPLIED WITH BRACKET
 THROUGH TILE- RAFTER MOUNT (TT)
 HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999**

DESCRIPTION H x W x L		WEIGHT Kgs ea	BOX QTY	PART #
	450mm 1ph	rated at 1 kN	3.1	BR-TT-1-450
			4	BR-TT-1-450 BOX
	450mm 1ph	rated at 2 kN	4.3	BR-TT-1-450-2KN
	600mm 1ph	rated at 1kN	5.1	BR-TT-1-600
	600mm 1ph	rated at 2 kN	6.6	BR-TT-1-600-2KN
900mm 1ph	rated at 2 kN	9.2	BR-TT-1-900	
	450mm 3ph	rated at 2 kN	3.3	BR-TT-3-450
	600mm 3ph	rated at 2 kN	7.4	BR-TT-3-600
	900mm 3ph	rated at 2 kN	9.2	BR-TT-3-900

BR-TT-1-900

BR-TT-1-450



BR-TT-3-450

FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24

HOUSE RAISER BRACKETS

FACIA MOUNT

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999



BR-FM-1-900

DESCRIPTION		WEIGHT	BOX	PART #
H x W x L		Kgs ea	QTY	
400mm 1ph	rated at 1kN	2.7		BR-FM-1-400
840mm 1ph	rated at 1kN	5.5		BR-FM-1-900
840mm 1ph	rated at 1kN	5.4		BR-FM-1-900-45



BR-FM-3-900

400mm 3ph	rated at 2kN	3.9		BR-FM-3-400
840mm 3ph	rated at 2kN	7.3		BR-FM-3-900






FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24

~~BBFWMM13600~~

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
 Plate size 40x100mm horizontal type mounting bracket with 2 coach screws	0.25	10	BR-HH-50 BR-HH-50 BOX
 Plate size 200x40mm vertical type mounting bracket with 2 coach screws	0.45	10	BR-HV-50 BR-HV-50 BOX
 65x310mm Side type mounting bracket with 4 coach screws	1.40	10	BR-LS-100 BR-LS-100 BOX
 65x410mm LOOP Facia mount 100mm	1.8		BR-LS-200 BR-LF-100
<u>EYE BRACKETS</u>			
 HORIZONTAL/VERTICAL LARGE EYE BRACKET 40mm x 100mm x 185mm stand out with 2 COACH SCREWS Rated 2KN	0.45	10	BR-EB-185 BR-EB-185 BOX

BR-HH-50

BR-HV-50

BR-LS-100




BR-EB-185

FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24

	DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
<u>HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999</u>				
	Plate size 190x75mm Bent 45 deg sigle phase bracket with 2 coach screws & 2x3/16ww for fuse box Entry hole is 40mm dia	0.6		BR-AB-1
BR-AB-1			10	BR-AB-1 BOX
	Plate size 190x75mm Bent 45 deg single phase bracket with 2 coach screws & 2x3/16ww for fuse box Entry hole is 40mm dia	0.45		BR-AB-3
BR-AB-3			10	BR-AB-3 BOX
<u>UNDER GROUND CABLE ENTRY COVER</u>				
	galvanised steel pipe 700mm long, bent 30 degrees with orange plastic conduit inside			
UCE32/7	32mm " "	2.4		UCE32/7
	40mm " "	2.9		UCE40/7
	50mm " "	3.854		UCE50/7

FLOODS ELEC





ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24

POLE BRACKETS

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

DESCRIPTION H x W x L	WEIGHT BOX Kgs ea QTY	PART #
 <p>BR-PF-1-150</p> <p>Pole Mount front single phase box 150mm standoff w 4 coach screws & 2x3/16ww screws & nuts for fuse box</p>	<p>1.55</p> <p>12</p>	<p>BR-PF-1-150</p> <p>BR-PF-1-150 BOX</p>
<p>75 mm standoff</p>		<p>BR-PF-1-75</p>
 <p>BR-PS-3</p>	<p>2.35</p> <p>10</p>	<p>BR-PS-3</p> <p>BR-PS-3 BOX</p>
 <p>BR-PF-3-150</p> <p>Plate size 230x160mm Three phase plate with 150mm front stand off bracket with 2 coach screws & 6x3/16ww screws & nuts for fuse box</p>	<p>1.55</p> <p>4</p>	<p>BR-PF-3-150</p> <p>BR-PF-3-150 BOX</p>
 <p>BR-PF-3-0</p> <p>Plate size 230x160mm Three phase plate only</p>	<p>1.55</p>	<p>BR-PF-3-0</p>

FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
ACCESSORIES			
Stay wire kit 3mm dia S/S wire ROPE, 2 cable clamps & 1 eye screw			
1000mm long	0.20		BR-KIT-WK-1000
		10	BR-WK-1000 BOX
2000mm long	0.22		BR-WK-2000
3000mm long	0.25		BR-WK-3000



BR-WK-1000

STREET LIGHT BRACKETS

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

34mm pipe x300mm lg surface mount bracket with 4 coach screws	1.2		LB-FM-34-300
		10	LB-FM-34-300 BOX
48mm Pipe x 300lg 90deg			LB-S-FM-48x300
		6	LB-S-FM-48x300 BOX
60mm Pipe x 500lg 90deg			LB-S-FM-60x500
NB25x100mm long surface mount bracket with 2 bolts	0.55		LB-PM-100
		5	LB-PM-100 BOX
NB25x300mm long Comer mount bracket with 4 coach screws M16x1.5 bottom entry or rear entry	1.2		LB-CM-300
		10	LB-CM-300 BOX



LB-FM-34-300



LB-PM-100



LB-CM-300

FLOODS ELEC


ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1


Effective Date 1/4/24

SPOTLIGHT BRACKETS

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
--------------------------	------------------	------------	--------



SL-HM-1000



SPOTLIGHT BRACKET-1000mm
 x 25mm tube Horizontal with
 flat plate for Hande Spotlight
 and 5mm square plate mounting
 plate (for mounting on parrpit
 wall) **hot dipped GALVANISED**
 Bends 90 or 95 degrees

SL-HM-1000

SWITCH POST (SP)



SP-HM-1-650

HOLE MOUNTED

Switch Post-Hole Mounted-1ph-650mmhigh
 For use with double switch and outlet
 Clipsal WSC227/2
 HEM WPS2

1.69

SP-HM-1-650

10

SP-HM-1-650 BOX



SP-HM-1-650-3

Hot dipped galvanised
 40x40x1000mm Post for power
 to an outside location
 Cable concealed inside post
 For use with 3 switch-outlets
 Clipsal WSC227/2 12 nut & bolts supplied

2.39

SP-HM-1-650-3

FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24

SWITCH POST (SP)



SP-HM-3-650

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
Hot dipped galvanised 50x50x1000mm Post for power to an outside location			
Cable concealed inside post For use with switch and outlet Clipsal 56 series	2.34	5	SP-HM-3-650 SP-HM-3-650 BOX
4 nut & bolts supplied			



SP-SM-3-850

SWITCH POST - SURFACE MOUNTED (SP-SM)

Single Switch Clipsal WS226 HEM - EE-HM-WPS2			SP-SM-1-850 SP-SM-1-400
4 nut & bolts supplied Hot dipped galvanised for mounting on concrete			



SP-SM-1-850

FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24




SP-RM-1-700

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
--------------------------	------------------	------------	--------

AIR CONDITIONING SWITCH POST

Switch post rafter mounted single phase 700mm long removable switch plate 25mm tube HDG

1.35 10 **SP-RM-1-700**
SP-RM-1-700 BOX



SP-RM-1-300ZA

Switch Panel - Roof Mounted - 1ph

SP-RM-1-300ZA

300 mm high X 300mm wide "A" frame
 ZINC ALUM for deck roof

10 **SP-RM-1-300ZA BOX**



Switch Plate - Foot Mount Air conditioning
 90x400x150mm x

SP-AC1

Dipped Galvanise with 4 screws and nuts
 for up to 10 different isolators

10 **SP-AC1 BOX**

Mount to concrete with 4 ankors

Mount to under AC bolt

FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24



TSB-DIN24

DESCRIPTION H x W x L	WEIGHT Kgs ea	BOX QTY	PART #
--------------------------	------------------	------------	--------

Temporary Supply Box (TSB)

Temporary Supply Box - Unmetered. Box with top hinge door with 2 position stay, 24 pole, lip mounting neutral bar and earth bar with lockable door

18.2

TSB-DIN24



Temporary Supply Box - EMPTY. Box with top hinge door with 2 position stay, Size 490 h x 300 w x 250 d mm

16.0

TSB-E



MB-T2

FLOODS Meter box T Bracket (WITH DETACHABLE "T") suitable for meter boxes with all bolts for easy installation for 40NB or 50NB Pipe

5 Box MB-T3



TPS1.3X40

Temporary Power Supply Pipe (TPS)

40 NB (Nominal Bore) 48.3 Outside Dia x 42mm Internal Diameter x 1300mm Long


TPS1.3X40

FLOODS ELEC

ABN 13 083 845 203
 8-10 Tova Drive
 CARRUM DOWNS 3201
 VICTORIA
 AUSTRALIA
 TEL (03) 9770 8064
 FAX (03) 9775 0184
 Email sales@floods.com.au
 www.floods.com.au

PRICELIST No 49 Issue 1

Effective Date 1/4/24



CRS-1000


CABLE REEL STAND (CRS)

HOT DIPPED GALVANISED AS PER AS/NZS 4680-1999

Heavy duty cable reel holder, galvanised, for 1000mm pipe Rated at 200kg
 Rated at 200kg, 500mm pipe

4 **CRS-1000 BOX**

4 **CRS-500 BOX**




TP-3000

Temporary Poles (TP)

Tempory Pole for leads extends to 3000mm

2.7 **TP-3000**



Base for TP1
 400x400x5mm
 400x400x10mm

6.7 **TP-B-6KG**

12.7 **TP-B-12KG**